

Industrial PPE Personal Protective Equipment



<https://alloranintl.com/>

1405 803 Suite. B Olmito, Texas 78575

Office: (956) 525-7051

A.L. Loran International, LLC

WORKING GARMENTS

A.L. Loran International, LLC





STYLE 101 B

Industrial safety coverall



Details:

100% cotton fabric manufactured in one single piece

7.46 oz/yd² – 255 gr/m²

Sizes: 32 - 50 Regular
52 - 70 Upon Request

Quotation Option: Direct embroidery, patch type, and/or screen printing of your company logos, along with 2" wide photoluminescent tapes.

-  56 GRAPHITE
-  53 NAVY BLUE
-  54 ROYAL
-  55 RED
-  57 ORANGE
-  51 KHAKI

STYLE 101 P

Industrial Safety Coverall



A.L. Loran International, LLC



Details:

100% cotton fabric manufactured in one single piece.

7.46 oz/yd²-255 gr/m²

Sizes: 32 - 50 Regular
52 - 70 Upon Request

Quotation Option: Direct embroidery, patch type, and/or screen printing of your company logos, along with 2" wide photoluminescent tapes.


-  56 GRAPHITE
-  53 NAVY BLUE
-  54 ROYAL
-  55 RED
-  57 ORANGE
-  51 KHAKI

200 Twill Carolina PROTECT® Fabric Working Coverall



Description:

This is a 100% cotton fabric, fire resistant, which keeps its fireproof features after washing; excellent for worker's protection, in the diverse industries where there's a latent risk.



255 grm m² / 7.52 oz/yd²

Sizes: 32 - 50 Regular

52 - 70 Upon Request

Achieved Certifications and related features to each of them:
NFPA 2112, Flame Resistant Garments for Protection of Industrial Personnel Against Flash Fire.
ASTM D-6413, Flame Resistant Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards.
CGSB 155.20, Workwear for Protection Against Hydrocarbon Flash Fire.
ANSI/ISEA 107 American National Standard for High Safety Apparel and accessories (Green/yellow color).
CSA Z96 High-visibility safety apparel (Orange Color).

A.L. Loran International, LLC

1405 803 Suite B
Olmito, Texas 78575

Office: (956) 525-7051 - Cell: (956) 371-1278

