
### SAFETY FOOTWEAR CATALOG

WHERE PASSION MEETS PROTECTION





### A.L. Loran International, LLC

1





MODUSS SHOES is our exclusive safety footwear brand that meets the highest quality standards, guaranteeing your safety.

We understand the paramount importance of protection in any working enviroment. That's why, at Moduss Shoes, we are dedicated to offering safety footwear tailored to diverse needs and requirements.





This catalog shows our workplace and protective safety footware which we commercialize nationwide and that complies with its functionality featuring a protection aspect, besides its design and fabrication being 100% Mexican.

It incorporates special features to protect the user from injuries that may arise during their activities performance.



### Safety footware categorization

### Category I.- Occupational footwear:

Meant to be used in workplace activities where the user is just exposed to minor risks, such as cuts, lacerations, bumps against objects, among others, that do not require any special protective feature.

### Category II.- Steel toe protection footwear:

Helps guard against impact and compression from heavy objects or equipment.

### Category III.- Composite toe protection footwear:

Polycarbonate reinforcement in the toe area which helps to guard against impact and compression. It also offers electrical hazard (EH) protection, ensuring it does not conduct electricity.

#### Category IV.- Metatarsal Protectionfootwear:

Aimed to protect the foot's instep against impact risks to the metatarsus, in addition to covering category II shoewear risks.

#### Category V.- puncture resistant footwear:

Meant to protect the user's foot sole against sharp objects that could pierce through the shoe wear's sole.



All of our footwear is manufactured with the direct soling to the cut system, the best option for a high quality, durable industrial footwear.

What's the direct soling?



We manufacture using the direct soling technique which consists in attaching the outsole directly to the upper without any stitching.

### **Toe Protection Styles**



### polycarbonate toe protection:

Toe cap intended for activities where the user is exposed just to minor risks, such as cuts, lacerations, bumps against objects, among others, that do not require any special protective feature.



Steel toe protection:

It's one of the most used on the industry, intended for a toes' integral protection where impact and compression risks exist..



This toe cap gathers the steel toe's features (protection against impact and compression) adding a protection for the user against electric shock risks, as well as being lighter.

### **Soles Styles**



This kind of sole is lighter and only used for flat floors or facilities such as factories, transportation, textile industry, automotive industry, etc. It's anti-slipping.



This sole is more resistant to abrasion and deterioration, that's why it's used for rough work, dirt roads or the metalworking industry. It's antislipping.



Acrylic-Nitrile. Double density with high resistance to abrasion, bending, oils, gasoline, low temperatures flexibility, anti-slip, traction and tearing resistance.

### Attachments/ Accessories



It's made from WBFLEX material, which protects against toe abrasion and provides a better protection to the user.



### WBFLEX Style anti-puncture insole:

It protects the foot's sole against sharp piercing objects which could penetrate the shoe wear's sole. This attachment can be added upon request on any shoe model, starting from 10 pairs on.



**Reflective tape:** Reflects light in a mirror kind of way with a great shine and durability.



• Orange sole.

**STYLE** 

6" Boot

### 042 can

Safety 6 inch boot, manufactured in full grain Napa leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.

### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13







### STYLE

## **042**cne

Black Sole.

6" Boot

Safety 6 inch boot, manufactured in full grain Napa leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.

### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13






**STYLE** 

## 053cam

• Yellow Sole.

6" Boot



### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12







### STYLE

Black sole.

6" Boot

### Safety 6 inch boot, manufactured in full grain Napa leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.

#### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12



**053**CNE



Brown color

**STYLE** 

## **062**cne

Oxford Style shoewear manufactured in a "Crazy" finished leather, with a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.









### STYLE 072BNNE Black Sole.

Safety 6 inch boot, manufactured in full grain Napa leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.

#### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7






Pink Sole.

**STYLE** 

WOMEN'S 6" BOOT

## **072**NRS



Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 Steel toe protection Anti-slip sole Double density sole





# STYLE 112CNE

Safety 6 inch boot, manufactured in "Crazy" finished leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.

### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13





Steel toe protection

Double density sole



## STYLE 112NVM

Safety 6 inch boot, manufactured in a black colored, "Crazzy" finished leather, pre-formed EVA padded insole with an antibacterial textile coating of high impact absorption, resistant and durable, anti-fatigue, breathable and antibacterial.

#### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13











# STYLE 113CNE

6" Slip-on boot •Black sole.

Safety 6 inch boot, manufactured in "Crazy" finished leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.

#### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12





Composite toe protection

Anti-slip sole

Mono-density sole



## • Black sole. 6" slip-on boot 133NNE



Safety 6" slip-on boot, manufactured in full grain leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.

#### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12







# style 133nnek

● Black sole. 6" lace-up boot

Safety 6 inch lace-up, manufactured in full grain leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.



WBFLEX Toe Box against abrasion

#### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12






Composite toe protection

Anti-slip sole

Mono-density sole



# • Black sole. 10" slip-on boot





Can be fabricated with a rubber sole.

#### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13





Steel toe protection

Anti-slip sole

Mono-density sole





### STYLE 802CNE • Black sole. **10**" slip-on boot

10 inch slip-on Style Oil Industry adapted Safety Boot manufactured in full grain Napa leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.



\*Can be fabricated with a rubber sole.

### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13





Steel toe protection Anti-slip sole

Double density sole





# Orange sole. 10" slip-on boot



10 inch slip-on Style Oil Industry adapted Safety Boot manufactured in full grain Napa leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.



#### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13











# STYLE 803CNE

10 inch boot style Oil Industry adapted Safety Boot manufactured in full grain Napa leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.



\*Can be fabricated with a rubber sole.

### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12





Composite toe protection



Double density sole



# STYLE 803CAM



10 inch boot style Oil Industry adapted Safety Boot manufactured in full grain Napa leather. With a high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial.



### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12







### STYLE 803 CNE/CWP Black sole. 10" slip-on boot

10 inch slip-on Style Oil Industry adapted Water-proof Safety Boot manufactured in "Crazy" finsished leather. With a WBFLEX style anti-puncture high impact absorption ergonomic insole, anti-fatigue, breathable and antibacterial. With a sealed membrane.



Can be fabricated with a rubber sole.



WBFLEX style anti-puncture insole.

#### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12





Composite toe protection



Anti-slip sole


Double density sole





### STYLE 836kr

Tampico'sBicentennial 10" slip-on boot





WBFLEX style anti-puncture insole

#### Sizes: 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12






Composite toe protection

 Anti-slip sole

 Double density sole





()

### Storage, Maintenance and Usage Conditions

Safety Offshore of México, S.A. de C.V., guarantees this product for an up to 90 days period, counted from the delivering moment against fabrication defects; to make effective that due warranty, the user must follow the warranty process and use the shoewear keeping up the storage and wearing conditions which will be consecutively detailed below:

Moduss Shoes Brand Safety Shoewear from Safety Offshore of México, S.A. de C.V., must be used in dry environments, without humidity and exclusively on the respective working areas during work day.

Therefore, keep in mind that the mono-density sole is meant to be used exclusively on flat floors or offices (unadvised for jobs with excessive abrasion such as civil constructions, metalworking, building, platforms maintenance, mining industry or maritime terminals). This kind of sole is recommended for the "clean" industry, such as factories, transportation, textile industry, automotive industry, etc. So, their use must be specifically for what's recommended.

The double density sole is used for rough working, it is advised to respect the recommended kind of use.

It is also advised to respect the corresponding and adequate use for each kind of toe cap, remembering that the steel toe protects toes against impact and compression and the polyamides one, against electric shocks, impact and compression.

The Moduss Shoes Shoe wear must be stored on well-ventilated places.

Long-term storage may deteriorate certain materials in very humid and dark places or weather.

Moduss Shoes Shoe wear requires a periodic cleaning and maintenance in accordance with usage frequency, specifically those exposed to long-term work days in extreme conditions must be cleaned with a damp cloth and polished (applying of regular shoe polish).

Safety Offshore of México, S.A. de C.V., does not take responsibility for any kind of damage caused on account of misuse, negligence or accidents related to its usage.



**Authorized Distributer for Safety Offshore Mexico** 

Soren Lundberg Mobile: (956) 371-1278 Soren@alloranintl.com www.alloranintl.com

1405 FM 803 Suite. A Olmito, Texas 78575 (USA) Office Email: info@alloranintl.com

Office: (956) 525-7051

### SAFETYOFFSHOREMEX.COM

